



## TECHNICAL SPECIFICATIONS LENNOX THEATRE

Standard Lighting Rig is a four (4) colour wash Front of House, five (5) colour wash Side Light, seven (7) colour top and backlight.

Our staff operates all equipment in the Riverside Theatre. If you wish to operate our equipment, staff of the theatre must be employed to supervise its operation.

Technical staff supplied for the performance as stated in the Hiring Contract is (1) Theatre Technician and one (1) Stage Door Security.

The Management of the Theatre shall not be held responsible for any equipment, which is not available to the hirer due to electrical or mechanical failure, or any other circumstance beyond its control.

If further information is required please contact:

Sean Clarke - Venue and Operations Manager (02) 8839 3390

Owen Ironside - Technical Supervisor – Phone (02) 8839 3361

EMAIL: technicalsupervisor\_riverside/parracity@parracity.nsw.gov.au

### **About the Lennox:**

The Lennox is a multi-use performance space with a flex-able seating system which allows a large number of seating configurations in both theatre and cabaret style. The seating is also completely removable from the space giving you a 15m x 10m exhibition area. The Lennox has a fixed lighting grid.

The Lennox Theatre is available in a number of seating configurations. The seating capacity depends on the configuration chosen by the hirer.

The standard configuration of Lennox Theatre is end on mode with one row of seating on the floor. This configuration results in 224 seats. With an additional floor row, the capacity can be increased to 244 seats.

The venue is normally hired as a flat floor performance space, however a 600mm or 800mm high stage can be provided upon request. The stage area is 12m x 6m.

**NOTE:** Hirer's should note that all departures from standard configurations with lighting, sound, drapery or seating can involve a labour component with resultant costs which are charged to the Venue Hirer. If you are unfamiliar with this practice of charging labour you should phone the Business Manager (02) 8839 3398.



## TECHNICAL SPECIFICATIONS LENNOX THEATRE


### Scenery Access:

Scenery Access: Through Courtyard Gates in Market Street

Theatre Access: Double leaf doors

1.6m Wide x 2m High

### Stage Dimensions



Floor Height to Grid 6.565 metres

### STAGE DRAPERY

- 4 x Legs
- 1 x Rear Black Curtain (French Action Manual)
- 1 x House Curtain Black (French Action Manual)
- 1 x Cyclorama



## TECHNICAL SPECIFICATIONS LENNOX THEATRE

### LIGHTING:

#### CONTROL:

1 x ETC Express 250 (250 Channels) Lighting Console + Monitor

#### LAMP LIST:

12 x Pacific 14 – 35 degrees (FOH Bridge 3)  
12 x Pacific 23 – 50 degrees (FOH Bridge 2)  
4 x Pacific 23 – 50 degrees (Specials)  
12 x CCT 1K Fresnels with Barn Doors  
6 x CCT 650 Narrow Profiles (M size Gobo)  
8 x CCT 650 Wide Profiles (M size Gobo)  
4 x CCT 500w Cyc Lighting  
2 x Strand SL 15-32 degrees.  
12 x CCT 650w Fresnels with Barndoors

*(A limited selection of Pacific lens combinations is available)*

#### PATCH INFORMATION

*6 x Bays (16 Patch per Bay)  
16 Patch Points Stage Level ( 4 x DSOP, 4 x DSPS, 4 x USOP, 4 x USPS)  
19 Patch Points US Under Grid (Backlight Bar Patch)  
60 Patch Points Side Walls  
Dimmer Control – DMX 512 (2 streams)*

#### DIMMERS:

72 x 2.4k Strand WallPak Dimmers.



## TECHNICAL SPECIFICATIONS LENNOX THEATRE

### **SOUND SYSTEM:**

A Stereo processor controlled system plus 4 fold back/effects sends

Control: Soundcraft 200b Mixer

24 Channels

4 x Aux (2 x Pre, 2 x Post)

4 x Groups

Speakers

EQ and Processing Drive rack

2 x JBL Contractor 30

2 x Crown XLS 602 Amplifier

2 x JBL SB210 Subs

Fold Back Effects 2 x Peavey Foldback Wedges (Additional Foldback Wedges Available)

### **OTHER EQUIPMENT:**

A variety of Vocal, Instrument and Hanging Mics are available

Hand held, Lavalier, lapel and Countryman radio microphones available.

1 x Soundcraft 200b – 24 Mono with 4 AUX and 4 Groups

1 x Denon DN-C680 CD Players

1 x Denon CD / Tape Combo Unit

1 x Denon DN-M1050R Mini Disc Players

4 x SHURE UC Radio mic receivers

*(2 included in full rental 6 additional for small fee. Batteries at cost)*

Paging: - All Dressing Rooms

Talkback – Cable Headsets Available throughout Venue



## **TECHNICAL SPECIFICATIONS LENNOX THEATRE**

### **DRESSING ROOMS:**

Dressing Room Five – Upper Level – 6 Children or 3 Adults

Dressing Room Six – Upper Level – 20 Children

As per hire agreement additional Dressing Room facilities may be allocated by the Venue & Operations Manager

All dressing rooms contain illuminated mirrors, toilets and showers.

### **LAUNDRY FACILITIES:**

2 x Industrial Washing Machines

2 x Industrial Dryers (Tumble)

1 x Upright Dryer

### **GREENROOM**

A Greenroom is located upstairs between dressing rooms 4 and 5. There is boiling water, chilled (or room temperature) filtered water, a microwave, comfy lounges, dining table and visiting companies fridge available.

The Greenroom is a shared space for all visiting companies and crew.

Soft drink and confectionary vending machines are located in the courtyard outside the exit doors near the laundry.

### **PARKING**

Four parking places only are available for Lennox cast and visiting crew.

Notification of the drivers' names, vehicle type and registration must be sent at least 2 days in advance of the company's arrival. The nearest parking station, off Phillip Street, behind Brand Smart, is 5 minutes easy walk from the theatre.



## **TECHNICAL SPECIFICATIONS LENNOX THEATRE**

### **BACKSTAGE ACCESS**

All cast and crew **MUST** enter and exit via Stage Door which is located off the car park near the corner of Market and Marsden Streets.

Riverside Theatres has a no visitor's backstage policy. We apologise for any inconvenience however it is for the safety of the performers that this policy exists.

Stage Door's telephone number is (02) 8839 3360.